

Agro-KelPower

Reg. No. 132/24

LIQUID NUTRIENT FOLIAR FEED COMPLEX

Liquid nutrient foliar feed complex with seaweed for use on crops as indicated.


COMPOSITION:

Nitrogen (N).....77.4 g/kg (87.3 g/ℓ)
Phosphorus (P).....10.7 g/kg (12 g/ℓ)
Potassium (K).....8.8 g/kg (9.9 g/ℓ)
Sulfur (S).....0.87 g/kg (0.9 g/ℓ)
Magnesium (Mg).....3.75 g/kg (4.23 g/ℓ)
(Contains seaweed)

Registered and Distributed by:

Optimum Agro (Pvt) Ltd
12 Highfield Road,
Southerton, Harare
Zimbabwe.
Tel: 0242774725

UN No. Not regulated



Before using this product read the label carefully

GROUP	2	FERTILIZER
-------	----------	------------

Iron (Fe).....1125 mg/kg (1269 mg/ℓ)
Boron (B).....1502 mg/kg (1694 mg/ℓ)
Manganese (Mn).....564 mg/kg (636 mg/ℓ)
Zinc (Zn).....370 mg/kg (417 mg/ℓ)
Copper (Cu).....200 mg/kg (225 mg/ℓ)
Molybdenum (Mo)....237 mg/kg (267 mg/ℓ)



CONTENTS:

Batch No:
Manufacturing date:
Expiry date:

Manufactured by:

AECI Plant Health
(a division of AECI Ltd.)
14 Field Road, Lilianton,
Boksburg, 1459, South Africa
Tel +27 11 823 8000
www.aeciph.com

DIRECTIONS FOR USE: Use only as directed

Shake well before use.

Ground application:

Always dilute in a maximum 600 ℓ water/ha and apply at a rate of 2 to 4 ℓ/ha.

Aerial application:

Dilute in 30 – 40 ℓ water/ha and apply at a rate of 2 to 4 ℓ/ha.

APPLICATION TABLE:

CROP	APPLICATION METHOD
Citrus	Apply at bud swell and repeat at 21 day intervals.
Cotton	Apply at the 10-leaf stage and repeat with 14 day intervals.
Legume crops	Apply at the 4 th trifoliate and repeat with 14 day intervals.
Maize	Apply at the 5 to 7-leaf stage.
Potatoes	Apply at the 6-leaf stage and repeat 14 days later.
Sugarcane	Apply once the cane has reached a height of 60 cm.
Fruiting Vegetables: Cucumbers, Egg plant, Melons, Peppers, Squash and Tomatoes	Apply at the 6-leaf stage and repeat with 14 day intervals.
Leaf Vegetables: Asparagus, Broccoli, Brussels sprout, Cabbages, Cauliflower, Celery, Chives, Lettuce, Parsley and Spinach	Apply at the 6-leaf stage and repeat with 14 day intervals.
Root Vegetables: Beets, Carrots, Turnip, Parsnip and Radish	Apply at the 6-leaf stage and repeat with 14 day intervals.
Wheat	Apply at the 5 to 7-leaf stage.
Sunflower	Apply at the 5 to 7-leaf stage and repeat 14 days later.