

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE

PRECAUTIONS:

Wear gloves and goggles when handling the concentrate. In case of contact with eyes rinse immediately with plenty of water and seek medical advice.

Keep container tightly closed when not in use. Observe caution when using Agro-Wet with any new spray chemical as improved wetting may increase risk of damage to the crop. When mixed with cold water (<10°C), longer agitation times will be needed as gelling may occur.

When empty, invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip.

Thereafter rinse the container three times with a volume of water equal to at least one tenth of that of the container and add the rinsings to the contents of the spray tank. Destroy the container by puncturing and flattening it. Do not use the container for any other purpose.

KEEP OUT OF THE REACH OF CHILDREN AND KEEP APART FROM FEEDS AND FOOD-STUFFS.

SYMPTOMS OF HUMAN POISONING

May cause irritation to eyes.

May cause drowsiness or dizziness.

May cause skin dryness.

FIRST AID

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Skin contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Eye contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention.

NOTE TO PHYSICIAN

There is no specific antidote. Treat symptomatically and supportively as and when required.

WARNINGS:

Handle with care. May cause irritation to eyes and skin.

Keep out of reach of children, uninformed persons and animals.

FLAMMABLE: Do not store or handle near open flame.


Store away from food and feeds.

AGRO-WET

Adjuvant

Reg. No:
24-ADJV-26-1

Net Contents:
See container



ACTIVE INGREDIENT:

Polysorbate 80 60% w/w

A concentrated adjuvant, for use with a majority of spray materials to improve the wetting and spreading properties on plant foliage.

Registered and Distributed by:

Optimum Agro (Pvt) Ltd
12 Highfield Road,
Southerton, Harare
Zimbabwe.
Tel: 0242774725



Manufactured by:

AECI Plant Health
(a division of AECI Ltd.)
14 Field Road, Lilianton,
Boksburg, 1459, South Africa
Tel +27 11 823 8000
www.aeciph.com



Date of

Manufacture: See container

Batch No: See container

Expiry Date: See container

Shelf life: Two years from the date of manufacture if kept in the original unopened container under constant cool and dry conditions.

AERIAL APPLICATION:

Notify all inhabitants in the immediate vicinity of the area to be treated of your intention and issue the necessary warnings. DO NOT spray over adjacent areas of water nor allow spray to drift there.

ALTHOUGH THIS ADJUVANT HAS BEEN EXTENSIVELY TESTED UNDER A WARRANTY THAT IT WILL BE EFFICACIOUS UNDER ALL CONDITIONS BECAUSE THE ACTION AND EFFECT THEREOF MAY BE AFFECTED BY QUALITY OF DILUTION WATER, COMPATIBILITY WITH OTHER SUBSTANCES NOT INDICATED ON THE LABEL AS WELL AS BY THE METHOD, TIME AND DOES NOT ACCEPT RESPONSIBILITY FOR DAMAGE TO CROPS, VEGETATION, THE ENVIRONMENT OR HARM TO MAN OR ANIMAL OR FOR OF THE USER TO FOLLOW THE LABEL INSTRUCTIONS OR THE OCCURRENCE OF CONDITIONS WHICH COULD NOT HAVE BEEN FORESEEN IN TERMS OF THE REGISTRATION. CONSULT THE SUPPLIER IN THE EVENT OF ANY UNCERTAINTY.

DIRECTIONS FOR USE: Use only as directed

Agro-Wet may be used with any spray mixture and can be applied to any crop. Add the required quantity to the spray mixture and agitate thoroughly.

APPLICATION TABLE:

USE	DOSAGE
Fungicides	10 – 25* mL/100 l water
Insecticides	25 – 50* mL/100 l water
Herbicides	50 – 100* mL/100 l water
General use	10 – 25* mL / 100 l water

*** Use the higher dosage for weeds, insects, diseases and crops that are particularly difficult to wet.**

PXXXX ZimOpt01/24 V1