

Safety Data Sheet (SDS) BAR 450SC/02

According to UN GHS 9th Ed

Revision Date: 2022/02/28

Page 1 of 10

First print date: 2016/01/22

Version: 1.6

SECTION 1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY/UNDERTAKING

Product identifier:

Identification as on the label/Trade name: **BARRIER 450 SC**

Additional information: Product code BAR 450SC/02

Relevant identification uses of the substance and uses advised against:

Identified uses: A fungicide.

Uses advised against: Use only as directed.

Details of the supplier of the Safety Data Sheet:

AECI Limited

14 Field Road, LILANTON

Emergency telephone numbers:

Griffon Poison information centre: 082 446 8946

Poisons Information Helpline: 0861 555 777

AECI Limited: (011) 823 8000 (o/h) Spill Tech: 086 100 0366 (a/h)

SECTION 2. HAZARD IDENTIFICATION

Classification of the substances or mixture

The mixture is classified according to

SANS 10234:2019, Regulation EC 1272/2008 [EU-GHS/CLP]	
Hazard classes/Hazard categories	Hazard statement
Skin sensitization (Category 1)	H317
Eye irritant (Category 2)	H319
Reproductive toxicity (Category 2)	H361d
Hazardous to the aquatic environment (Acute 1)	H400
Hazardous to the aquatic environment (Chronic 1)	H410

For full text of H statements see section 16

The most important adverse effects

The most important adverse physiochemical effects: None.

The most important adverse human health effects: May cause skin allergies and serious eye irritation.

Safety Data Sheet (SDS) BAR 450SC/02

Page 2 of 10

According to UN GHS 9th Ed

Revision Date: 2022/02/28

Label elements

Hazard pictograms:



Signal Word: Warning

Hazard Statements: H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H361 Suspected of damaging the unborn child. H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements: P260 Do not breathe mist/ vapours/ spray. P264 Wash thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTRE/doctor if you feel unwell.

Special labelling of certain mixture: None

Other hazards: None

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Ingredients:

Substance name (IUPAC/EC)	CAS –No.	Concentration % by weight	Classification
	EC-No.		EC1272/2008
Ethylene glycol	107-21-1	1-10%	Acute toxicity oral (Category 4) H302.
	203-473-3		
Maneb tech	124274-38-2	20-30%	Skin sensitization (Category 1) H317. Eye irritation (Category 2) H319. Acute toxicity inhalation (Category 4) H332. Reproductive toxicity (Category 2) H361d. Aquatic acute 1 H400. Aquatic chronic 1 H410 M=10.
	235-654-8		
Procymidone tech	32809-16-8	10-20%	Acute toxicity inhalation (Category 4) H332.
	251-233-1		

For full text of H statements see section 16

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4. FIRST AID MEASURES

Description of first aid measures:

In case of inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.

Safety Data Sheet (SDS) BAR 450SC/02

Page 3 of 10

According to UN GHS 9th Ed

Revision Date: 2022/02/28

In case of skin contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation occurs.

In case of eye contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

In case of ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention.

Most important symptoms and effects, both acute and delayed:

Inhalation: Not known.

Ingestions: May be harmful if swallowed.

Skin contact: May cause skin irritations.

Eye contact: Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

SECTION 5. FIRE -FIGHTING MEASURE

Extinguisher media:

Suitable extinguisher media: Carbon dioxide, dry powder, or alcohol-resistant foam.

SMALL FIRE: Extinguish small fires with carbon dioxide, dry powder, or alcohol-resistant foam.

LARGE FIRE: Water spray can be used for larger fires or cooling of unaffected stock but avoid the accumulation of polluted run-off from the site.

Unsuitable extinguishing media: Do not use high volume water jet, due to contamination risk.

Special hazards arising from the mixture:

Thermal decomposition giving flammable and toxic products. Such as carbon disulphide, carbon oxides, oxides of sulphur and hydrogen sulphide.

Advice for fire-fighters:

Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. Be sure to use an approved/certified respirator or equivalent.

SECTION 6. ACCIDENTAL RELEASE

Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

For emergency responders: Use an approved/certified respirator or equivalent, isolate the spill area and limit the access to emergency responders only. Avoid any contact with spilled material, use adequate protective clothes and gloves.

Environmental precautions:

Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapours. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal.

Safety Data Sheet (SDS) BAR 450SC/02

Page 4 of 10

According to UN GHS 9th Ed

Revision Date: 2022/02/28

Methods for containment and cleaning up:

For small spills Contain spilled material if possible. Collect in suitable and properly labelled containers. Absorb with materials such as: sand, earth, vermiculite or diatomaceous earth

For large spills Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in well labelled container for disposal according to local regulations.

Reference to other sections:

See section 7 for information on safe handling.

See section 8 for information on personal protection equipment.

See section 13 for information on disposal.

Additional information:

None.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

Avoid prolonged contact with concentrate. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing.

Protective measures: Observe directions on label and instructions for use.

Advice on general occupational hygiene: Do not eat drink or smoke when handling this product.

Conditions for safe storage, including incompatibilities:

Store product in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame). Incompatible materials; combustible materials, reducing agents, acids, alkalis.

Specific end uses:

Use as directed. Use original container.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters:

Occupational exposure limits (OEL):

Ethylene glycol-TWA OEL-RL 60 mg/m³, STEL OEL-RL 125mg/m³

Biological exposure indices (BEI): No information available.

Additional exposure limits under the conditions of use: No information available.

Exposure control: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective OEL's if applicable. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Safety Data Sheet (SDS) BAR 450SC/02

Page 5 of 10

According to UN GHS 9th Ed

Revision Date: 2022/02/28

Appropriate engineering controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective OEL's if applicable. Ensure that eyewash stations and safety showers are proximal to the work-station location

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection: Use safety glasses. If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

Hand protection: Use chemical resistant gloves. Examples of preferred glove barrier materials include Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, Polyvinyl alcohol, Polyvinyl chloride.

Body protection: Appropriate impervious clothing is required to prevent skin contact with the product.

Respiratory protection: Respiratory protection is required when ventilation is inadequate, or discomfort is experienced; use an approved air-purifying respirator. Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines.

Environmental exposure controls: Prevent product from entry into sewers and water courses.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance (form): Homogenous liquid.

Colour: Opaque yellow.

Odour: Characteristic odour.

Odour threshold: No information available.

pH (at concentration): 8-8.5 (100%)

Melting point/range (°C): No information available

Boiling point/range (°C): No information available

Flash point (°C): No information available.

Evaporation rate: No information available.

Flammability (solid, gas): No information available

Ignition temperature (°C): No information available.

Upper/lower flammability/explosive limits: No information available.

Safety Data Sheet (SDS) BAR 450SC/02

According to UN GHS 9th Ed

Revision Date: 2022/02/28

Page 6 of 10

Vapour pressure (20°C): No information available.

Vapour density: No information available.

Density (25°C): 1.240-1.260 g/cm³

Water solubility (g/l) at 20°C: No information available.

n-Octanol/Water partition coefficient: No information available

Auto-ignition temperature: No information available.

Decomposition temperature: No information available.

Viscosity: 250-700 cps

Physical hazards:

Explosive properties: No information available

Other information:

Fat solubility (solvent-oil to be specified): No information available.

Bulk density: No information available.

Dissociation constant in water (p Ka): No information available.

Oxidation-reduction potential: No information available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity:

The product is stable under normal conditions.

Chemical stability:

Stable under normal conditions.

Possibility of hazardous reactions:

No information available.

Conditions to avoid:

Do not store near strong acids. Do not expose to extreme temperatures.

Incompatible materials:

Combustible materials, reducing agents, acids, alkalis, quaternary ammonium salts and sequestering agents.

Hazardous decomposition products:

Safety Data Sheet (SDS) BAR 450SC/02

Page 7 of 10

According to UN GHS 9th Ed

Revision Date: 2022/02/28

Thermal decomposition giving flammable and toxic products. Carbon disulphide, carbon oxides, oxides of sulphur and hydrogen sulphide.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution:

Non-human toxicological data: No Information available.

Excretion: Procymidone

In animals, rapidly and completely eliminated in the faeces and urine.

Maneb

In rats, metabolites included ethylenediamine, ethylenebis(thiuram) monosulfide and ethylenebis(thiourea).

Information on toxicological effects:

Acute toxicity: BARRIER 450 SC

Acute oral LD₅₀ for rat > 2000 mg/kg (based on calculation).

Dermal LD₅₀ for rat > 2000 mg/kg (based on calculation).

Inhalation: LC₅₀ (4 h) for rat >7.1 mg/ ℓ (based on calculation).

Chronic toxicity: No information available.

Skin corrosion/irritation:

Procymidone

Non-irritating to skin for rat and rabbit.

Maneb

Non-irritating to skin (rabbits).

Serious eye damage/irritation:

Procymidone

Non-irritating to skin for rat and rabbit.

Maneb

Moderate eye irritant for rabbit.

Respiratory or skin sensitization:

Maneb

May cause irritation to nose and throat.

Germ cell mutagenicity:

Procymidone

No mutagenic effects.

Carcinogenicity:

Procymidone

No carcinogenic effects.

Reproductive toxicity:

Maneb

Safety Data Sheet (SDS) BAR 450SC/02

Page 8 of 10

According to UN GHS 9th Ed

Revision Date: 2022/02/28

At very high levels, Maneb has caused birth defects in test animals; ethylenethiourea, a trace contaminant and degradation product of Maneb, has caused thyroid effects, tumours and birth defects in laboratory animals.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity:

Procymidone

Fish toxicity: LC₅₀ (96 h) for Bluegill fish 10.3 mg/ℓ and Rainbow trout 7.2 mg/ℓ.

Bees: Not toxic to bees.

Maneb

Birds: Acute oral LD₅₀ for Mallard ducks and Bobwhite quail >10 000 mg/kg, diet. LC₅₀ (48 h),

Fish: LC₅₀ (48 h) for Carp 1.8 mg/ℓ.

Bees: Not toxic to bees.

Persistence and degradability:

Maneb

Rapidly degraded in the environment by hydrolysis, oxidation, photolysis and metabolism.

Bioaccumulative potential:

No information available.

Mobility in soil

Procymidone

Persists in soil c. 4-12 weeks, depending on humus content.

Maneb

Soil DT₅₀ c. 25 d (loamy sand in dark, aerobic conditions).

Results of PBT& vPvB assessment:

No information available.

Other adverse effects:

No information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods:

Consider suitable waste recycling, re-use or recovery options. Dispose of in accordance with municipal, provincial and national regulations. Waste Classification and Management Regulations (GN 634 of 2013). Dispose and or manage in accordance with the requirements contained in R634 Waste Classification & Management Regulations, R635 National Norms & Standards for the Assessment of Waste for Landfill Disposal and R636 National Norms & Standards for Disposal of Waste to Landfill.

Safety Data Sheet (SDS) BAR 450SC/02

Page 9 of 10

According to UN GHS 9th Ed

Revision Date: 2022/02/28

Product/ packaging disposal:

Treat as hazardous waste and dispose of in accordance with municipal, provincial and national regulations.

SECTION 14. TRANSPORT INFORMATION

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN-Number	3082	3082	3082
UN Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Maneb)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Maneb)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Maneb)
Transport hazard class:	9	9	9
Packaging group:	III	III	III
Marine pollutant:	yes	yes	yes
Special precautions for user:	None	None	None
Transport in bulk according to MARPOL 73/78 Annex II and the IBC code	Not required	Not required	Not required

Inland waterways: Not required.

Emergency response information: No information.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation for the mixture:

Relevant information regarding authorization: Occupational Health and Safety Act 1993. Regulation for Hazardous Chemical Agents, 2021. UN Recommendations on the Transport of Dangerous Goods Model Regulations Rev. 21 (2019), Globally Harmonized System of Classification and Labelling of Chemicals (GHS) Rev 9, 2021.

ACGIH: American Conference of Governmental Industrial Hygienists (ACGIH)

Relevant information regarding restrictions: None.

EU regulations: Regulation EC 1272/2008 [EU-GHS/CLP] and EU directives 67/548/EEC or EC 1999/45/EC

Other National regulations: National Road Traffic Act, 1996 (ACT NO. 93 of 1996). SANS 10228:2012- The identification and classification of dangerous goods for transport by road and rail modes. National Environmental Management: Waste Act 59 of 2008.

Chemical Safety Assessment carried out? No

SECTION 16. OTHER INFORMATION

Indication of changes:

All sections.

Relevant Classification and Hazard Statements:

Aquatic acute 1: Hazardous to the aquatic Environment (Acute 1)

Aquatic chronic 1: Hazardous to the aquatic Environment (Chronic 1)

Safety Data Sheet (SDS) BAR 450SC/02

Page 10 of 10

According to UN GHS 9th Ed

Revision Date: 2022/02/28

H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H361 Suspected of damaging the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

Training instructions:

Use as indicated on the label, special training may be required for application.

Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Notice to readers:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees.

This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.