

DeKompakt®

Nitrogen (N)87 g/kg
Calcium (Ca)126 g/kg

FERTILIZER GROUP 2

Zimbabwe Reg. No. 202/15

Batch no:
Date of Manufacture:

UN No.: Not regulated

Dekompakt® is a registered trademark of AECI Limited

MANUFACTURED AND REGISTERED BY:
Nulandis® (A division of AECI Limited)
Reg no 1924/002590/06
14 Field Road (Cnr Bird Street), Lilianton
PO Box, 14418 Witfield, Gauteng, 1467
Tel: (011) 823-8000
www.nulandis.com

MIXING INSTRUCTIONS:

- Half fill spray tank to the required volume of water
- Add the required amount of **DeKompakt**
- Add appropriate amount of wetting agent as per manufacturer's instruction
- Fill the remainder of tank with water and maintain agitation

Product pH: 3 - 4

Specific Gravity @ 20° C 1.452

STORAGE: Do not store product in direct sunlight. Do not store product in temperatures below 5°C

APPLICATION GUIDE

Apply through boom spray, liquid injection, aerial or overhead irrigation. Do not apply when conditions are extremely hot. Best applied in the temperature range of 5 – 25 °C.

	Rate ℓ/ ha	Water dilution	Application comments
Broadacre			
Cotton	2 – 6	1:20 – 50	Prior to flowering and again as ball fills
Wheat	4 – 7	1:20 – 50	Prior to flowering
Pastures	6 – 10	1:20 -50	3-4 weeks after emergence
Soil application	30 - 70		
Tree Crops			
Stone fruit	4 – 7	1:100	After petal fall and at 2 weekly intervals
Citrus	5 – 10	1:100	After flowering and at 2 weekly intervals
Nut trees	5 -10	1:100	At fruit development
Soil application	20 - 60		
Horticulture			
Beans	3 – 5	1:100	After flowering and at 2 weekly intervals
Brassica	5 – 7	1:100	Before head formation and at 2 weekly intervals
Cucurbits	3 – 5	1:100	After flowering and at 2 weekly intervals
Carrots	3 – 5	1:100	After flowering and at 2 weekly intervals
Potatoes	4 – 7	1:100	After flowering and at 2 weekly intervals
Tomatoes	3 – 5	1:100	After flowering and at 2 weekly intervals
Soil application	30 - 50		

NOTE: When applied through irrigation systems, do not apply at a rate higher than 2 ℓ of **Dekompakt** / 1 000 ℓ of irrigation water.

COMPATIBILITY:

DeKompakt can be used with most commonly used foliar feeds, except products containing phosphate or sulphate. However, for use with any agricultural remedy it is recommended to do a compatibility test on a small area and observe the treated area for 3 days before doing commercial applications.

DeKompakt cannot be mixed with products containing phosphate or sulphate. When applying **DeKompakt**, the liability remains with the user. Nulandis will not be held accountable.

KEEP OUT OF REACH OF CHILDREN

CONDITIONS OF SALE: These goods are manufactured and tested to specific standards and are sold in good faith, however no guarantee is given as conditions and methods under which they are used are beyond the control of the manufacturer. Before using, the user should determine the suitability of the product for his/her intended use and the user assumes the risk and liability in connection therewith.