

DeKompakt®

Reg. No. B5143, Act No. 36 of 1947

FERTILIZER GROUP 2

Composition:

Nitrogen (N)79 g/kg (114.7 g/l)
Calcium (Ca)129 g/kg (187.3 g/l)
Fulvic acid7.6 g/kg (11.03 g/l)

SG: 1.452 @ 20 °

Volume
1000 l; 200 l; 20 l; 25 l



DANGER

GHS HAZARD STATEMENTS

Harmful if swallowed.

Causes serious eye damage.

GHS PRECAUTIONARY STATEMENTS

Do not breathe mist, vapours or spray.

Wash thoroughly after handling.



Nulandis® (A division of AECI Limited)

Reg no 1924/002590/06

14 Field Road (Cnr Bird Street), Lilianton

PO Box, 14418 Witfield, Gauteng, 1467

Tel: (011) 823-8000

www.aeciworld.com / www.aeciph.com

Dekompakt® is the registered trademark of AECI® Limited

Batch no

UN No.: **Not regulated**

WARNINGS:**GHS HAZARD STATEMENTS**

Harmful if swallowed.

Causes serious eye damage.

PRECAUTIONS:**GHS PRECAUTIONARY STATEMENTS**

Do not breathe mist, vapours or spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/ eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.

RELEVANT SUBSTANCES:

Substance name (IUPAC/EC)	Concentration % by weight	Classification
		EC1272/2008
Calcium nitrate solution	40-50%	Acute toxicity oral (Category 4). Serious eye damage (Category 1).

NOTE: The other ingredients not included above, do not cause or contribute towards the correct GHS classification of **DeKompakt** and is therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021; Regulation 14(b), not listed.

MIXING INSTRUCTIONS:

- Half fill spray tank to the required volume of water
- Add the required amount of **DeKompakt**
- Add appropriate amount of wetting agent as per manufacturer's instruction
- Fill the remainder of tank with water and maintain agitation

Product pH: 3 - 4

Specific Gravity @ 20° C 1.452

STORAGE: Do not store product in direct sunlight. Do not store product in temperatures below 5°C**APPLICATION GUIDE**

Apply through boom spray, liquid injection, aerial or overhead irrigation. Do not apply when conditions are extremely hot. Best applied in the temperature range of 5 – 25 °C.

CROP	TYPE OF APPLICATION	RATE
BROADACRE	SOIL APPLICATION	30 to 70 ℓ/ha
TREE CROPS	SOIL APPLICATION	20 to 60 ℓ/ha
HORTICULTURE	SOIL APPLICATION	30 to 50 ℓ/ha

NOTE: When applied through irrigation systems, do not apply at a rate higher than 2 ℓ of **DeKompakt** / 1 000 ℓ of irrigation water.

COMPATIBILITY:

DeKompakt can be used with most commonly used foliar feeds, except products containing phosphate or sulphate. However, for use with any agricultural remedy it is recommended to do a compatibility test on a small area and observe the treated area for 3 days before doing commercial applications.

DeKompakt cannot be mixed with products containing phosphate or sulphate. When applying **DeKompakt**, the liability remains with the user. AECI Plant Health will not be held accountable.

KEEP OUT OF REACH OF CHILDREN

CONDITIONS OF SALE: These goods are manufactured and tested to specific standards and are sold in good faith, however no guarantee is given as conditions and methods under which they are used are beyond the control of the manufacturer. Before using, the user should determine the suitability of the product for his/her intended use and the user assumes the risk and liability in connection therewith.