

Safety Data Sheet (SDS) DEL 600SC/01

According to SANS 10234:2019/UN GHS 7th Ed

Revision Date: 2021/01/13

Page 1 of 10

First print date: 2021/01/13

Version: 1.0

SECTION 1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY/UNDERTAKING

Product identifier:

Identification as on the label/Trade name: **DELEO™ 600SC**

Additional information: Product code DEL 600SC/01

Relevant identification uses of the substance and uses advised against:

Identified uses: Herbicide.

Uses advised against: Use only as directed.

Formulator:

Shandong Weifang Rainbow Chemical Co., Ltd.
Binhai Economic Development Area, Weifang,
Shandong 262737,
China

Details of the distributor:

AECI Limited
14 Field Road, LILANTON

Emergency telephone numbers:

Griffon Poison information centre: 082 446 8946
Poisons Information Helpline: 0861 555 777
AECI Limited: (011) 823 8000 (o/h) Spill Tech: 086 100 0366 (a/h)

SECTION 2. HAZARD IDENTIFICATION

Classification of the substances or mixture

The mixture is classified according to:

SANS 10234:2008, Regulation EC 1272/2008 [EU-GHS/CLP]	
Hazard classes/Hazard categories	Hazard statement
Skin sensitization (Category 1)	H317
Eye irritation (Category 2)	H319
STOT RE 2	H373
Hazardous to the aquatic environment (Acute 1)	H400
Hazardous to the aquatic environment (Chronic 1)	H410

For full text of H statements see section 16

The most important adverse effects

The most important adverse physiochemical effects: None.

The most important adverse human health effects: May cause an allergic skin reaction and eye irritation.

Safety Data Sheet (SDS) DEL 600SC/01

According to SANS 10234:2019/UN GHS 7th Ed

Revision Date: 2021/01/13

Page 2 of 10

Label elements



Hazard pictograms:

Signal Word: Warning

Hazard Statements: H317 May cause an allergic skin reaction. H319 May cause eye irritation. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements: P264 Wash thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. PP302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P312 Call a POISON CENTRE/doctor if you feel unwell. P501 Dispose of contents and container (according to the description in the related regulation).

Special labelling of certain mixtures: None.

Other hazards: None.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Ingredients:

Substance name (IUPAC/EC)	CAS –No.	Concentration % by weight	Classification
	EC-No.		EC1272/2008
Terbutylazine	5915-41-3	40-50%	Acute toxicity oral (Category 4) H302. STOT RE 2 H373. Aquatic acute 1 H400 (M=10). Aquatic chronic 1 H410 (M=10).
	227-637-9		
S-metolachlor	87392-12-9	1-10%	Skin sensitization (Category 1) H317. Aquatic acute 1 H400. Aquatic chronic 1 H410.
	618-004-1		

For full text of H statements see section 16

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations, applicable are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4. FIRST AID MEASURES

Description of first aid measures:

In case of inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if you feel unwell.

Safety Data Sheet (SDS) DEL 600SC/01

Page 3 of 10

According to SANS 10234:2019/UN GHS 7th Ed

Revision Date: 2021/01/13

In case of skin contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation persists.

In case of eye contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention if irritation persists.

In case of ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if you feel unwell.

Most important symptoms and effects, both acute and delayed:

Inhalation: May cause respiratory irritation.

Ingestions: May be harmful if swallowed.

Skin contact: May cause skin allergies.

Eye contact: Causes eye irritation.

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

SECTION 5. FIRE -FIGHTING MEASURE

Extinguisher media:

Suitable extinguisher media: Carbon dioxide, dry powder, or alcohol-resistant foam.

SMALL FIRE: Extinguish small fires with carbon dioxide, dry powder, or alcohol-resistant foam.

LARGE FIRE: Water spray can be used for larger fires or cooling of unaffected stock but avoid the accumulation of polluted run-off from the site.

Unsuitable extinguishing media: Do not use high volume water jet, due to contamination risk.

Special hazards arising from the mixture:

Avoid inhaling hazardous vapours, keep upwind, the substance decomposes on heating producing toxic fumes including hydrogen chloride and nitrogen oxides.

Advice for fire-fighters:

Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. Be sure to use an approved/certified respirator or equivalent.

SECTION 6. ACCIDENTAL RELEASE

Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel: Keep all personal away. Avoid contact with skin, eyes, clothing.

For emergency responders: Isolate the spill area and limit the access to emergency responders only. Avoid any contact with spilled material, use adequate protective clothes and gloves.

Environmental precautions:

Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal.

Methods for containment and cleaning up:

Safety Data Sheet (SDS) DEL 600SC/01

Page 4 of 10

According to SANS 10234:2019/UN GHS 7th Ed

Revision Date: 2021/01/13

For small spills Contain spilled material if possible. Collect in suitable and properly labelled containers. Absorb with materials such as: sand, earth, vermiculite or diatomaceous earth

For large spills Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in well labelled container for disposal according to local regulations.

Reference to other sections:

See section 7 for information on safe handling.

See section 8 for information on personal protection equipment.

See section 13 for information on disposal.

Additional information:

None.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

Avoid prolonged contact with concentrate. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

Protective measures: Observe directions on label and instructions for use.

Advice on general occupational hygiene: Do not eat drink or smoke when handling this product.

Conditions for safe storage, including incompatibilities:

Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Keep away from food, drink and animal feeding stuffs.

Specific end uses:

Use as directed. Use original container.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters:

Occupational exposure limits (OEL):

None

Biological exposure indices (BEI):

None

Additional exposure limits under the conditions of use:

None.

Exposure control: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. A Risk Assessment should be conducted before handling is to commence to determine specific exposure control.

Appropriate engineering controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective OEL's if applicable. Ensure that eyewash stations and safety showers are proximal to the workstation location.

Safety Data Sheet (SDS) DEL 600SC/01

Page 5 of 10

According to SANS 10234:2019/UN GHS 7th Ed

Revision Date: 2021/01/13

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection: Use safety glasses. If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

Hand protection: Use chemical resistant gloves. Examples of preferred glove barrier materials include Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, Polyvinyl alcohol, Polyvinyl chloride.

Body protection: Wear appropriate clothing for task or operation. Keep working clothes separately.

Respiratory protection: Respiratory protection is required when ventilation is inadequate, or discomfort is experienced; use an approved air-purifying respirator. Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines.

Environmental exposure controls: Prevent product from entry into sewers and water courses.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance (form): Free flowing liquid.

Colour: Off-white.

Odour: Odourless.

Odour threshold: No information available.

pH (at concentration): 6.0- 8.5 (100%).

Melting point/range (°C): No information available

Boiling point/range (°C): No information available

Flash point (°C): No information available.

Evaporation rate: No information available.

Flammability (solid, gas): No information available

Ignition temperature (°C): No information available.

Upper/lower flammability/explosive limits: No information available.

Vapour pressure (20°C): No information available.

Vapour density: No information available.

Safety Data Sheet (SDS) DEL 600SC/01

According to SANS 10234:2019/UN GHS 7th Ed

Revision Date: 2021/01/13

Page 6 of 10

Density (20°C): 1.11 g/mL

Water solubility (g/l) at 20°C: Miscible.

n-Octanol/Water partition coefficient: No information available

Auto-ignition temperature: No information available.

Decomposition temperature: No information available.

Physical hazards:

Explosive properties: Not explosive.

Other information:

Fat solubility (solvent-oil to be specified): No information available.

Bulk density: No information available.

Dissociation constant in water (p Ka): No information available.

Oxidation-reduction potential: No information available.

SECTION 10. STABILITY AND RELIABILITY

Reactivity:

The product is stable under normal conditions.

Chemical stability:

Stable under normal storage conditions for 2 years.

Possibility of hazardous reactions:

No information available.

Conditions to avoid:

No information available.

Incompatible materials:

Combustible materials, reducing agents, acids, alkalis.

Hazardous decomposition products:

Combustion or thermal decomposition will evolve toxic and irritant vapours.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution:

Non-human toxicological data: No Information available.

Method: No Information available.

Dosage: No Information available.

Routes of administration: No Information available.

Results: No Information available.

Safety Data Sheet (SDS) DEL 600SC/01

Page 7 of 10

According to SANS 10234:2019/UN GHS 7th Ed

Revision Date: 2021/01/13

Absorption: No Information available.

Distribution: No Information available.

Metabolism: No Information available.

Excretion:

Terbuthylazine:

In mammals, following oral administration, 70–80% is eliminated in the urine and faeces within 24 hours, and almost all within 48 hours.

S-metolachlor:

In animals, rapidly and efficiently absorbed, uniformly distributed and rapidly excreted in urine and faeces. Rapidly oxidised by rat liver oxygenases via dechlorination, O-demethylation and side-chain oxidation; conjugation by glutathione S-transferases.

Information on toxicological effects:

Acute toxicity:

Deleo™ 600SC

Acute oral LD₅₀ for rats 3181 mg/kg.

Acute dermal LD₅₀ for rats >3700 mg/kg.

Inhalation LC₅₀ (4 h) for rats >8 mg/ℓ.

Terbuthylazine:

Acute oral LD₅₀ for rats 1590mg/kg.

Dermal LD₅₀ for rats >2000mg/kg.

Inhalation LC₅₀ (4 h) for rats >5.3 mg/ℓ.

S-metolachlor:

Acute oral LD₅₀ for rats 2600mg/kg.

Dermal LD₅₀ for rabbits >2000mg/kg.

Inhalation LC₅₀ (4 h) for rats >2910 mg/m³

Chronic toxicity: No information.

Skin corrosion/irritation:

Deleo™ 600SC

Mildly irritating.

Terbuthylazine:

No irritation.

S-metolachlor:

No irritation for rabbits.

Eye corrosion/irritation:

Deleo™ 600SC

Irritating.

Terbuthylazine:

No irritation.

S-metolachlor:

Safety Data Sheet (SDS) DEL 600SC/01

Page 8 of 10

According to SANS 10234:2019/UN GHS 7th Ed

Revision Date: 2021/01/13

No irritation for rabbits.

Respiratory or skin sensitization:

Deleo™ 600SC

Skin sensitizing.

Terbuthylazine:

Not a skin sensitizer.

S-metolachlor:

May cause sensitisation by skin contact in guinea pigs.

Germ cell mutagenicity: No information available.

Carcinogenicity: No information available.

Reproductive toxicity: No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No Information available.

Aspiration hazard: No information available.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity:

Very toxic to the environment.

Deleo™ 600SC

Fish: LC₅₀ (96 h) for Rainbow trout 5.2 mg/ℓ

Daphnia: EC₅₀ (48 h) for Daphnia 20 mg/ℓ.

Algae: EC₅₀ (72 h) for green algae 0.03 mg/ℓ.

Terbuthylazine

Birds: Acute oral LD₅₀ for ducks and quail >1000 mg/kg. Dietary LC₅₀ for ducks and quail >5620 ppm.

Fish: LC₅₀ (96 h) for Rainbow trout 2.2 mg/ℓ, Bluegill sunfish 52 mg/ℓ, carp and catfish 7.0 mg/ℓ.

Daphnia: LC₅₀ (48 h) 69.3 mg/ℓ.

Algae: EC₅₀ (72 h) for *Scenedesmus subspicatus* 0.016-0.024 mg/ℓ.

Bees: LD₅₀ (oral and contact) >200 µg/bee.

Worms: LC₅₀ (14 d) earthworms >283 to >1000 mg/kg soil.

S-metolachlor:

Birds: Acute oral LD₅₀ for Bobwhite quail and Mallard ducks >2510 mg/kg. Dietary LC₅₀ (8 d) Bobwhite quail and Mallard ducks >5620 ppm.

Fish: LC₅₀ (96 h) for Rainbow trout 1.23 mg/ℓ, Bluegill sunfish 3.16 mg/ℓ.

Daphnia: LC₅₀ (48 h) 11.24-26 mg/ℓ.

Algae: E_bC₅₀ (120 h) for *Selenastrum capricornutum* 0.008 mg/ℓ.

Other aquatic spp. LC₅₀ (96 h) for Mysid shrimps (*Mysidopsis bahia*) 1.4 mg/ℓ. E_dC₅₀ (14 d) for *Lemna gibba* 0.023 mg/ℓ.

Bees LD₅₀ (oral) >0.085 µg/bee, (contact) >0.2 mg/bee.

Safety Data Sheet (SDS) DEL 600SC/01

Page 9 of 10

According to SANS 10234:2019/UN GHS 7th Ed

Revision Date: 2021/01/13

Worms: LC₅₀ (14 d) for earthworms 570 mg/kg soil.

Persistence and degradability:

Terbuthylazine

Microbial degradation proceeds mainly by de-ethylation and hydroxylation, with eventual ring cleavage.

Bioaccumulative potential:

No information available.

Mobility in soil

Terbuthylazine

Adsorption on soils is strong: K_{oc} 151–318, K_d 1.1–25 are typical values for light agricultural soils. Terbuthylazine is only slightly mobile.

S-metolachlor:

Major aerobic metabolites are derivatives of oxanilic and sulfonic acids.

Results of PBT& vPvB assessment:

No information available.

Other adverse effects:

None.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods:

Treat as hazardous waste and dispose of in accordance with municipal, provincial and national regulations.

Product/ packaging disposal:

Treat as hazardous waste and dispose of in accordance with municipal, provincial and national regulations.

SECTION 14. TRANSPORT INFORMATION

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN-Number	3082	3082	3082
UN Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Terbuthylazine)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Terbuthylazine)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Terbuthylazine)
Transport hazard class:	9	9	9
Packaging group:	III	III	III
Marine pollutant:	yes	yes	yes
Special precautions for user:	No information	No information	No information
Transport in bulk according to MARPOL 73/78 Annex II and the IBC code	No information	No information	No information

Safety Data Sheet (SDS) DEL 600SC/01

Page 10 of 10

According to SANS 10234:2019/UN GHS 7th Ed

Revision Date: 2021/01/13

Inland waterways: No information

Emergency response information: No information

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation for the mixture:

Relevant information regarding authorization: Occupational Health and Safety Act 1993 Regulation for Hazardous Chemical Substances.

ACGIH: American Conference of Governmental Industrial Hygienists (ACGIH)

Relevant information regarding restrictions:

EU regulations: Regulation EC 1272/2008 [EU-GHS/CLP] and EU directives 67/548/EEC or EC 1999/45/EC

Other National regulations: National Road Traffic Act, 1996 (ACT NO. 93 of 1996).

SANS 10228:2012- The identification and classification of dangerous goods for transport by road and rail modes.

National Environmental Management: Waste Act 59 of 2008.

Chemical Safety Assessment carried out? No

SECTION 16. OTHER INFORMATION

Indication of changes:

GHS aligned

Relevant classification and H statements (number and full text):

Aquatic acute 1: Hazardous to the aquatic environment (Acute 1)

Aquatic chronic 1: Hazardous to the aquatic environment (Chronic 1)

STOT RE 2 Specific target organ toxicity repeated exposure (Category 2)

H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H319 Causes eye irritation. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

Training instructions:

Use as indicated on the label, special training may be required for application.

Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Notice to readers:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees.

This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.