

FRUITBOOST[®] PHASE 1

Reg. No. B2923, Act No. 36 of 1947

FERTILIZER GROUP 2

A liquid organic nutrient complex for use as a foliar spray on fruit in the flowering stage to prevent or correct deficiencies.

ACTIVE INGREDIENTS:

Potassium (K) 75 g/kg (93.5 g/l)
Zinc (Zn) 7 930 mg/kg (9 888.7 mg/l)
Boron (B) 400 mg/kg (498.8 mg/l)
(Contains seaweed)
SG. 1.247 @ 20°C

NETT VOLUME:

Batch No:

Date of Manufacture:

UN No.: Not regulated



REGISTRATION HOLDER:

Nulandis[®] (A division of AECL Limited)

Reg. No. 1924/002590/06

P.O. Box 14418

Witfield, 1467

Tel : (011) 823 8000

www.nulandis.com

FRUITBOOST[®] is the registered trademark of AECL Limited (Nulandis[®] a division of AECL Limited)

APPLICATION TABLE:

FRUITBOOST PHASE 1 is specifically designed to be applied as a foliar spray to fruit trees during flower bud swell to full flowering, unless stated otherwise.

CROP	DOSAGE RATE	APPLICATION DETAILS
Avocados Litchis Macadamias Mangoes	500 ml / 100 l water to a maximum of 10 l/ha	Apply twice during flower bud swell to full flowering, in a minimum of 1 000 l water.
Nectarines Plums Peaches Apricots	500 ml to 1 l / 100 l water to a maximum of 5 l/ha	Apply twice during flower bud swell to full flowering.
Citrus	500 ml / 100 l water to a maximum of 10 l/ha	Apply three times during flower bud swell to full flowering, in a minimum of 1 000 l water.
Grapes	350 ml to 500 ml / 100 l water to a maximum of 10 l/ha	Apply three times during flower bud swell to full flowering. Alternate Fruitboost Phase 1 applications with Calcimax sprays.
Apples Pears	500 ml to 1 l / 100 l water to a maximum of 5 l/ha	Apply twice during flower bud swell to full flowering.

CALCIMAX[®] is the registered trademark of AECL Limited (Nulandis[®] a division of AECL Limited), Reg. No. K5999, Act No. 36 of 1947

FRUITBOOST® FASE 1

Reg. Nr. B2923, Wet Nr. 36 van 1947

MISSTOF GROEP 2

'n Moeibare organiese voedingskompleks vir die gebruik op vrugte in die blomstadium as 'n bespuiting om tekortkomings reg te stel óf te voorkom.

AKTIEWE BESTANDDELE:

Kalium (K) 75 g/kg (93.5 g/l)
Sink (Zn) 7 930 mg/kg (9 888.7 mg/l)
Boor (B) 400 mg/kg (498.8 mg/l)
(Bevat seewier)
SG. 1.247 @ 20 °C

NETTO VOLUME:

Lotnommer:

Datum van Vervaardiging:

VN Nr.: Nie gereguleer nie



REGISTRASIEHOUER:

Nulandis® ('n Afdeling van AECl Beperk)

Reg. Nr. 1924/002590/06

Posbus 14418

Witfield, 1467

Tel : (011) 823 8000 www.nulandis.com

FRUITBOOST® is die geregistreerde handelsmerk van AECl Beperk (Nulandis® 'n afdeling van AECl Beperk)

TOEDIENINGSTABEL:

FRUITBOOST FASE 1 is spesifiek geformuleer om aangewend te word as 'n blaarbespuiting vir vrugtebome gedurende blom kopswel tot volle blomstadium, tensy anders aangedui.

GEWAS	DOSIS	TOEDIENINGSMETODE
Avokado's Lietjies Makadamias Mango's	500 ml / 100 l water tot 'n maksimum van 10 l/ha	Dien tweekeer toe gedurende die blom knopswel tot volle blomstadium, in 'n minimum van 1 000 l water.
Nektariens Pruime Perskes Appelkose	500 ml tot 1 l / 100 l water tot 'n maksimum van 5 l/ha	Dien tweekeer toe gedurende die blom knopswel tot volle blomstadium.
Sitrus	500 ml / 100 l water tot 'n maksimum van 10 l/ha	Dien 3 keer toe gedurende blom kopswel tot volle blomstadium, in 'n minimum van 1 000 l water.
Druwe	350 ml tot 500 ml / 100 l water tot 'n maksimum van 10 l/ha	Dien 3 keer toe gedurende blom kopswel tot volle blomstadium. Wissel Fruitboost Fase 1 aanwendings af met Calcimax bespuitings.
Appels Pere	500 ml tot 1 l / 100 l water tot 'n maksimum van 5 l/ha	Dien tweekeer toe gedurende blom knopswel tot volle blomstadium.

CALCIMAX® is die geregistreerde handelsmerk van AECl Beperk (Nulandis® 'n afdeling van AECl Beperk), Reg. Nr. K5999, Wet Nr. 36 van 1947

