

Flushsol® Flo

READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

Cleansing agent/Reinigingsmiddel

Removes scales, dust, dirt and unwanted residues from spray tanks and other containers. Protects pumps and valves. Reduces strainer clogging.

Verwyder skubbe, stof, vuiligheid en ongewensde oorblyfsels uit spuittenks en ander houers. Beskerm pompe en kleppe. Verminder sif-verstopings



DANGER

GHS Hazard Statement

Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause respiratory irritation.

GHS Precautionary Statements

Keep out of reach of children.
Wash thoroughly after handling
Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF INHALED: Remove person to fresh air and keep comfortable for breathing
call a POISON CENTER/doctor if you feel unwell.



MANUFACTURER / VERVAARDIGER:

AECI® Limited/ AECI® Beperk

Reg. No. / Nr. 1924/002590/06

P.O. Box / Posbus 14418

Witfield, 1467

Tel: (011) 823 8000

www.aeciph.com/ www.aeciworld.com

IN CASE OF POISONING PLEASE PHONE / IN GEVAL VAN VERGIFTIGING SKAKEL ;
0861 555777 / 082 446 8946

Flushsol® Flo is a registered trademark of AECI® Limited/'n geregistreerde handelsmerk van AECI® Beperk

Batch No:

Lotnommer:

DATE OF MANUFACTURE:

VERVAARDIGINGSDATUM:

UN No. / VN Nr. 3266. CORROSIVE LIQUID, BASIC, INORGANIC N.O.S (2 Aminoethanol)

WARNINGS:

GHS Hazard Statement

Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause respiratory irritation.

PRECAUTIONS:

GHS Precautionary Statements

Keep out of reach of children.
Wash thoroughly after handling
Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF INHALED: Remove person to fresh air and keep comfortable for breathing
call a POISON CENTER/doctor if you feel unwell.

Triple rinse the empty container: Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.

RELEVANT SUBSTANCES:

Substance name (IUPAC/EC)	Concentration % by weight	Classification
		EC1272/2008
Mono-ethanolamine (2 aminoethanol)	10-20%	Acute toxicity oral, dermal, inhalation (Category 4) H302+H312+H332. Skin corrosion (Category 1 B) H314. STOT SE 3 H335.
Isotridecanoethoxylate, polymer	10-20%	Acute toxicity oral (Category 4) H302.Serious eye damage (Category 1) H318

NOTE: The other ingredients not included above, do not cause or contribute towards the correct GHS classification of **Flushsol Flo** and is therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021; Regulation 14(b), not listed.

FIRST AID:

In case of inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

In case of skin contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately.

In case of eye contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Check for and remove any contact lenses. Get medical attention immediately.

In case of ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

Use 500 ml per 100 L water.

Dissolve the required amount of **Flushsol Flo** in part of the final volume of water first before adding the balance of the water. Agitate thoroughly - in the case of spray rigs use agitator or by-pass for at least 15 minutes. Leave cleaning solution overnight in tank or container. Open boom valve in spray tank and pump solution out through boom or spray hoses. Rinse containers thoroughly with fresh water, or circulate clean water for 10 minutes and spray through boom or spray-hoses before re-using.

NOTE: Flushsol Flo has no effect on steel, aluminium, brass, glass fibre, etc. Tanks and containers in extremely corroded conditions should not be cleaned with Flushsol **Flo**.