

Flushsol®

READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

Cleansing agent/Reinigingsmiddel

Removes scales, dust, dirt and unwanted residues from spray tanks and other containers. Protects pumps and valves. Reduces strainer clogging.

Verwyder skubbe, stof, vuiligheid en ongewensde oorblyfsels uit spuittenks en ander houers. Beskerm pompe en kleppe. Verminder sif-verstopings



DANGER

GHS Hazard Statement

Causes severe skin burns and eye damage.

GHS Precautionary Statements

Keep out of reach of children.

Wash thoroughly after handling

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.



MANUFACTURER / VERVAARDIGER:

AECI® Limited/ AECI® Beperk

Reg. No. / Nr. 1924/002590/06

P.O. Box / Posbus 14418

Witfield, 1467

Tel: (011) 823 8000

www.aeciph.com/ www.aeciworld.com

IN CASE OF POISONING PLEASE PHONE / IN GEVAL VAN VERGIFTIGING SKAKEL ;
0861 555777 / 082 446 8946

Flushsol® is a registered trademark of AECI® Limited/'n geregistreerde handelsmerk van AECI® Beperk

Batch No:

Lotnommer:

DATE OF MANUFACTURE:

VERVAARDIGINGSDATUM:

UN No. / VN Nr. 3262. CORROSIVE SOLID, BASIC, INORGANIC N.O.S (Sodium metasilicate anhydrous)

WARNINGS:

GHS Hazard Statement

Causes severe skin burns and eye damage.

PRECAUTIONS:

GHS Precautionary Statements

Keep out of reach of children.

Wash thoroughly after handling

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Shake all the product formulation of the container into the spray or mixing tank. Turn the bag or box inside out. Hold the bag over the spray or mixing tank and rinse bag or box with running water for thirty seconds. Shake the rinsate off into the tank. Repeat the rinsing twice. Cut the bag or box into pieces and dispose of via normal refuse disposal. Do not burn, bury or donate the bag or box to any other parties that may use it as a container for food.

RELEVANT SUBSTANCES:

Substance name (IUPAC/EC)	Concentration % by weight	Classification
		EC1272/2008
Sodium metasilicate anhydrous	1-10%	Skin corrosion (Category 1 B) H314. STOT SE 3 H335.
Sodium carbonate	50-60%	Eye irritant (Category 2) H319.
Alcohols, C9-11, ethoxylated	10-20%	Acute toxicity oral (Category 4) H302.Serious eye damage (Category 1) H318.

NOTE: The other ingredients not included above, do not cause or contribute towards the correct GHS classification of **Flushsol** and are therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021; Regulation 14(b), not listed.

FIRST AID:

In case of inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

In case of skin contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately.

In case of eye contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Check for and remove any contact lenses. Get medical attention immediately.

In case of ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

Use 10 g per 10 ℓ, 100 g per 100 ℓ or total container in 500 ℓ water.

Dissolve the necessary amount of **Flushsol** in part of the final volume of water first before adding the balance of the water. Agitate thoroughly. In the case of spray rigs use agitator or by-pass for at least 15 minutes. Leave cleaning solution overnight in tank or container. Open boom valve in spray tank and pump solution out through boom or spray hoses. Rinse containers thoroughly with clean water, or circulate clean water for 10 minutes and spray through boom or spray-hoses before re-using.

NOTE: **Flushsol** has no effect on steel, aluminium, brass, glass fibre, etc. Tanks and containers in extremely corroded conditions should not be cleaned with **Flushsol**.