

Fruitboost Phase 2

A liquid organic nutrient complex for use as a foliar spray on fruit in the flowering stage to prevent or correct deficiencies.

FERTILIZER GROUP 2

Active ingredients:

Calcium (Ca)	2.47 % m/v
Potassium (K)	6.29 % m/v
Zinc (Zn)	0.49 % m/v
Boron (B)	0.19 % m/v
(Contains seaweed)	

CONTENTS:

BATCH NO:

DATE OF MANUFACTURE:

REGISTERED AND DISTRIBUTED BY:

Refiloe Trading (Pvt) Ltd
P O Box AY 201, AMBY
Bayer Complex
1 Martin Road, Msasa
Harare, Zimbabwe
Tel: +263-4-446882-8

REGISTERED AND MANUFACTURED BY:

Nulandis®
A division of AECI Ltd.
Reg. No. 1924/002590/06
P.O. Box 14418, Witfield, 1467
Tel : (011) 823 8000
www.nulandis.com



UN No. Not regulated



APPLICATION TABLE:

FRUITBOOST PHASE 2 is specifically designed to be applied as a foliar spray to fruit trees during fruit set and development, unless stated otherwise.

CROP	DOSAGE RATE	APPLICATION DETAILS
Avocados Litchis Macadamias Mangoes	500 ml / 100 l water to a maximum of 10 l/ha	Apply three times during fruit set and development, in a minimum of 1 000 l water.
Nectarines Plums Peaches Apricots	500 ml to 1 l / 100 l water to a maximum of 5 l/ha	Apply three times during fruit set and development.
Citrus	500 ml / 100 l water to a maximum of 10 l/ha	Apply twice during fruit set and development, in a minimum of 1 000 l water.
Grapes	350 ml to 500ml / 100 l water to a maximum of 10 l/ha	Apply twice during fruit set and development.
Apples Pears	500 ml to 1 l / 100 l water to a maximum of 5 l/ha	Apply three times during fruit set and development. Alternate Fruitboost Phase 2 applications with Calcimax sprays.