

FRUITBOOST® PHASE 2

FERTILIZER GROUP 2

A liquid organic nutrient complex for use as a foliar spray on fruit trees in the fruit set and development stage as a foliar application to prevent or correct deficiencies.

ACTIVE INGREDIENTS:

Calcium (Ca) 20 g/kg (24.7 g/l)
Potassium (K) 51 g/kg (62.9 g/l)
Zinc (Zn) 4 000 mg/kg (4 904.0 mg/l)
Boron (B) 1 500 mg/kg (1 852.5 mg/l)
(Contains seaweed)
SG.1.235 @ 20 °C

NETT VOLUME:

Batch No:

Date of Manufacture:

UN No.: Not regulated
®

REGISTRATION HOLDER:

Nulandis® (A division of AECI Limited)

Reg. No. 1924/002590/06

P.O. Box 14418

Witfield, 1467

Tel : (011) 823 8000

www.nulandis.com

FRUITBOOST® is the registered trademark of AECI Limited (Nulandis® a division of AECI Limited)



APPLICATION TABLE:

FRUITBOOST PHASE 2 is specifically designed to be applied as a foliar spray to fruit trees during fruit set and development, unless stated otherwise.

CROP	DOSAGE RATE	APPLICATION DETAILS
Avocados Litchis Macadamias Mangoes	500 ml / 100 l water to a maximum of 10 l/ha	Apply three times during fruit set and development, in a minimum of 1 000 l water.
Nectarines Plums Peaches Apricots	500 ml to 1 l / 100 l water to a maximum of 5 l/ha	Apply three times during fruit set and development.
Citrus	500 ml / 100 l water to a maximum of 10 l/ha	Apply twice during fruit set and development, in a minimum of 1 000 l water.
Grapes	350 ml to 500ml / 100 l water to a maximum of 10 l/ha	Apply twice during fruit set and development.
Apples Pears	500 ml to 1 l / 100 l water to a maximum of 5 l/ha	Apply three times during fruit set and development. Alternate Fruitboost Phase 2 applications with Calcimax sprays.

FRUITBOOST® FASE 2

MISSTOF GROEP 2

'n Vloeibare organiese voedingskompleks vir die gebruik op vrugtebome in die vrugset en ontwikkelingsstadium as 'n blaarbespuiting om tekortkomings reg te stel óf te voorkom.

AKTIEWE BESTANDDELE:

Kalsium (Ca) 20 g/kg (24.7 g/l)
Kalium (K) 51 g/kg (62.9 g/l)
Sink (Zn) 4 000 mg/kg (4 904.0 mg/l)
Boor (B) 1 500 mg/kg (1 852.5 mg/l)

(Bevat seewier)

SG. 1.235 @ 20 °C

NETTO VOLUME:

Lotnommer:

Datum van Vervaardiging:

VN Nr.: Nie gereguleer nie



REGISTRASIEHOUER:

Nulandis® ('n Afdeling van AECl Beperk)

Reg. Nr. 1924/002590/06

Posbus 14418

Witfield, 1467

Tel : (011) 823 8000 www.nulandis.com

FRUITBOOST® is die geregistreerde handelsmerk van AECl Beperk (Nulandis® 'n afdeling van AECl Beperk)

TOEDIENINGSTABEL:

FRUITBOOST FASE 2 is spesifiek geformuleer om aangewend te word as 'n blaarbespuiting op vrugtebome gedurende die vrugset en ontwikkelingsstadium, tensy anders aangedui.

GEWAS	DOSIS	TOEDIENINGSMETODE
Avokado's Lietjies Makadamias Mango's	500 ml / 100 l water tot 'n maksimum van 10 l/ha	Dien 3 keer toe gedurende die vrugset & ontwikkelings stadium, in 'n minimum van 1 000 l water.
Nektarienes Pruime Perskes Appelkose	500 ml tot 1 l / 100 l water tot 'n maksimum van 5 l/ha	Dien 3 keer toe gedurende die vrugset & ontwikkelings stadium.
Sitrus	500 ml / 100 l water tot 'n maksimum van 10 l/ha	Dien 2 keer toe gedurende die vrugset en ontwikkelings stadium, in 'n minimum van 1 000 l water.
Druwe	350 ml tot 500 ml / 100 l water tot 'n maksimum van 10 l/ha	Dien 2 keer toe gedurende die vrugset en ontwikkelings stadium.
Appels Pere	500 ml tot 1 l / 100 l water tot 'n maksimum van 5 l/ha	Dien 3 keer toe gedurende die vrugset en ontwikkelings stadium. Wissel Fruitboost Fase 2 aanwendings af met Calcimax bespuitings.

CALCIMAX® is die geregistreerde handelsmerk van AECl Beperk (Nulandis® 'n afdeling van AECl Beperk), Reg. Nr. K5999, Wet Nr. 36 van 1947