

FRUITBOOST® PHASE 2

Reg. No. B2924, Act No. 36 of 1947

FERTILIZER GROUP 2

A liquid organic nutrient complex for use as a foliar spray on fruit trees in the fruit set and development stage as a foliar application to prevent or correct deficiencies.

COMPOSITION:

Calcium (Ca)20 g/kg (24.7 g/l)
Potassium (K)51 g/kg (62.9 g/l)
Zinc (Zn)4 000 mg/kg (4 940 mg/l)
Boron (B)1 500 mg/kg (1 852.5 mg/l)
(Contains seaweed)

SG.1.235 @ 20 °C

NETT VOLUME:

**NOT CLASSIFIABLE IN TERMS
OF GHS**

GHS PRECAUTIONARY STATEMENTS

Wash thoroughly after handling.

Do not eat, drink when using this product



REGISTRATION HOLDER:

Nulandis® (A division of AECI Limited)

Reg. No. 1924/002590/06

P.O. Box 14418

Witfield, 1467

Tel : (011) 823 8000

www.aeciph.com / www.aeciworld.com

FRUITBOOST® is the registered trademark of AECI® Limited

Batch No:

UN No.: **Not regulated**

RELEVANT SUBSTANCES:

NOTE: There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section, and are therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021; Regulation 14(b), not listed.

APPLICATION TABLE:

FRUITBOOST PHASE 2 is specifically designed to be applied as a foliar spray to fruit trees during fruit set and development, unless stated otherwise.

CROP	DOSAGE RATE	APPLICATION DETAILS
Avocados Litchis Macadamias Mangoes	500 ml / 100 ℓ water to a maximum of 10 ℓ/ha	Apply three times during fruit set and development, in a minimum of 1 000 ℓ water.
Nectarines Plums Peaches Apricots	500 ml to 1 ℓ / 100 ℓ water to a maximum of 5 ℓ/ha	Apply three times during fruit set and development.
Citrus	500 ml / 100 ℓ water to a maximum of 10 ℓ/ha	Apply twice during fruit set and development, in a minimum of 1 000 ℓ water.
Grapes	350 ml to 500ml / 100 ℓ water to a maximum of 10 ℓ/ha	Apply twice during fruit set and development.
Apples Pears	500 ml to 1 ℓ / 100 ℓ water to a maximum of 5 ℓ/ha	Apply three times during fruit set and development. Alternate Fruitboost Phase 2 applications with Calcimax sprays.

CALCIMAX® is the registered trademark of AECl® Limited, Reg. No. K5999, Act No. 36 of 1947

FRUITBOOST® FASE 2

Reg. Nr. B2924, Wet Nr. 36 van 1947

MISSTOF GROEP 2

'n Vloeibare organiese voedingskompleks vir die gebruik op vrugtebome in die vrugset en ontwikkelingsstadium as 'n blaarbespuiting om tekortkomings reg te stel óf te voorkom.

AKTIEWE BESTANDDELE:

Kalsium (Ca) 20 g/kg (24.7 g/l)
Kalium (K) 51 g/kg (62.9 g/l)
Sink (Zn) 4 000 mg/kg (4 940 mg/l)
Boor (B) 1 500 mg/kg (1 852.5 mg/l)

(Bevat seewier)

SG. 1.235 @ 20 °C

NETTO VOLUME:

Lotnommer:

Datum van Vervaardiging:

VN Nr.: Nie gereguleer nie



REGISTRASIEHOUER:

Nulandis® ('n Afdeling van AECl Beperk)

Reg. Nr. 1924/002590/06

Posbus 14418

Witfield, 1467

Tel : (011) 823 8000 www.nulandis.com

FRUITBOOST® is die geregistreerde handelsmerk van AECl Beperk (Nulandis® 'n afdeling van AECl Beperk)

TOEDIENINGSTABEL:

FRUITBOOST FASE 2 is spesifiek geformuleer om aangewend te word as 'n blaarbespuiting op vrugtebome gedurende die vrugset en ontwikkelingsstadium, tensy anders aangedui.

GEWAS	DOSIS	TOEDIENINGSMETODE
Avokado's Lietjies Makadamias Mango's	500 ml / 100 l water tot 'n maksimum van 10 l/ha	Dien 3 keer toe gedurende die vrugset & ontwikkelingsstadium, in 'n minimum van 1 000 l water.
Nektarienes Pruime Perskes Appelkose	500 ml tot 1 l / 100 l water tot 'n maksimum van 5 l/ha	Dien 3 keer toe gedurende die vrugset & ontwikkelingsstadium.
Sitrus	500 ml / 100 l water tot 'n maksimum van 10 l/ha	Dien 2 keer toe gedurende die vrugset en ontwikkelingsstadium, in 'n minimum van 1 000 l water.
Druwe	350 ml tot 500 ml / 100 l water tot 'n maksimum van 10 l/ha	Dien 2 keer toe gedurende die vrugset en ontwikkelingsstadium.
Appels Pere	500 ml tot 1 l / 100 l water tot 'n maksimum van 5 l/ha	Dien 3 keer toe gedurende die vrugset en ontwikkelingsstadium. Wissel Fruitboost Fase 2 aanwendings af met Calcimax bespuitings.

CALCIMAX® is die geregistreerde handelsmerk van AECl Beperk (Nulandis® 'n afdeling van AECl Beperk), Reg. Nr. K5999, Wet Nr. 36 van 1947

