


GENIE® FULVIC



Reg. No./ Nr. M145, Act No./Wet Nr. 36 of/ van 1947

GROUP / GROEP **3** FERTILIZER / MISSTOF

A liquid formulation that contains fulvic acid to increase canopy biomass.

'n Vloeibare formulasie wat fulviensuur bevat om bogrondse biomassa te verbeter.

REGISTRATION HOLDER/ REGISTRASIEHOUER:

Nulandis®

A division of AECI Ltd / (n Afdeling van AECI Beperk)

Reg. No. / Nr. 1924/002590/06

P. O. Box / Posbus 14418, Witfield, 1467

T +27 11 823 8000

www.aeciworld.com

www.nulandis.com

GENIE® is the registered trademark of AECI® Limited

COMPOSITION / SAMESTELLING

Fulvic Acid 50 g/kg (54 g/l) Fulviensuur

SG 1.08 @ 20 °C

Genie Fulvic pH 2.9

CONTENTS / INHOUD:

Batch No.:

Lotnummer:

UN No./ VN Nr: Not regulated / nie gereguleer nie.

WARNINGS:

Do not store **Genie Fulvic** in direct sunlight. Store above 4 °C and below 45 °C.
Keep out of reach of children.

DIRECTIONS FOR USE: ONLY USE AS DIRECTED**COMPATIBILITY:**

Genie Fulvic is compatible at all pH levels in tank mixtures.

The compatibility of **Genie Fulvic** has not yet been proven with agricultural remedies. Its compatibility with other products may be influenced by several factors. As certain factors may vary from farm to farm, a physical compatibility test must always be performed before such a tank mixture is sprayed. For more information on compatibility or in the event of uncertainty, contact your local AECl Plant Health representative. It is recommended to do a compatibility test on a small area and observe the treated area for 3 days before doing commercial applications.

MIXING INSTRUCTIONS:

Ensure that **Genie Fulvic** is mixed well before using.

APPLICATION METHOD:

- **DO NOT** apply when conditions are extremely hot. **Genie Fulvic** is best applied in a temperature range of 5 to 25 °C.
- **Genie Fulvic** should be used with foliar applied fertilizers.

APPLICATION RATE:

To be used in a balanced nutrition programme.

Add **Genie Fulvic** to the tank mixture with registered foliar fertilizers at a rate of 2 % of the fertilizer rate , (i.e. if you use 100 kg or 100 ℓ fertilizer, add 2 ℓ of **Genie Fulvic** to the tank mixture).

CONDITIONS OF SALE:

These goods are manufactured and tested to specific standards and are sold in good faith, however no guarantee is given as conditions and methods under which they are used are beyond the control of the manufacturer. Before using, user should determine the suitability of the product for his/her intended use and user assumes the risk and liability in connection therewith.

Before applying **Genie Fulvic**, consult a qualified Agronomist or your AECl Plant Health Crop Advisor on the necessity of using it.