

IMIBOOST

Reg. No./Nr L7470, Act No./Wet Nr. 36 of/van 1947
Botswana Reg. No./Nr W130301, Act No./Wet Nr. 18 of/van 1999
Namibian Reg. No./Namibiese Reg. Nr. N-AR 1667

READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

AN ADJUVANT TO IMPROVE THE EFFICACY OF THE HERBICIDES LISTED.

**'N BEVORDERINGSMIDDEL OM DIE EFFEKTIVITEIT VAN DIE GENOEMDE ONKRUIDDODERS
TE VERHOOG.**

Active ingredient:

Aktiewe bestanddeel:

Ammonium sulphate.....500 g/l.....Ammoniumsulfaat

Net Volume



Netto Volume

Not classified according to GHS

GHS Precautionary Statement
Wash thoroughly after handling.



REGISTRATION HOLDER / REGISTRASIEHOUER:

Nulandis® (A division of AECI Limited)/ Nulandis® ('n Afdeling van AECI Beperk)

Reg. No. / Nr. 1924/002590/06

P.O. Box / Posbus 14418

Witfield, 1467

Tel : (011) 823 8000

www.aeciph.com / www.aeciworld.com

IN CASE OF POISONING PLEASE PHONE / IN GEVAL VAN VERGIFTIGING SKAKEL ;
0861 555777 / 082 446 8946

Batch No:

Lotnommer:

DATE OF MANUFACTURE :

VERVAARDIGINGSDATUM:

UN No. / VN Nr.

IMIBOOST

Reg. No. L7470, Act No. 36 of 1947
Botswana Reg. No. W130301, Act No. 18 of 1999
Namibian Reg. No. N-AR 1667

READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

AN ADJUVANT TO IMPROVE THE EFFICACY OF THE HERBICIDES LISTED.

Active ingredient:

Ammonium sulphate.....500 g/l

REGISTRATION HOLDER :

Nulandis® (A division of AECI Limited)

Reg. No. 1924/002590/06

P.O. Box 14418

Witfield, 1467

Tel : (011) 823 8000

NOT CLASSIFIED ACCORDING TO GHS

WARNINGS:

Handle with care.

Irritating to eyes and respiratory system.

Full cognisance must be taken of all warnings, precautions and directions for use mentioned on the labels of the products with which **IMIBOOST** will be used.

Store in a cool place away from food, feeds and seed.

Keep out of reach of children, uninformed persons and animals.

Re-entry: Do not enter treated area until spray deposit has dried unless wearing protective clothing.

In case of poisoning – CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM.

ALTHOUGH THIS ADJUVANT HAS BEEN EXTENSIVELY TESTED UNDER A LARGE VARIETY OF CONDITIONS THE REGISTRATION HOLDER DOES NOT WARRANT THAT IT WILL BE EFFICACIOUS UNDER ALL CONDITIONS BECAUSE THE ACTION AND EFFECT THEREOF MAY BE AFFECTED BY FACTORS SUCH AS ABNORMAL CLIMATIC AND STORAGE CONDITIONS; QUALITY OF DILUTION WATER, COMPATIBILITY WITH OTHER SUBSTANCES NOT INDICATED ON THE LABEL AS WELL AS BY THE METHOD, TIME AND ACCURACY OF APPLICATION. THE REGISTRATION HOLDER FURTHERMORE DOES NOT ACCEPT RESPONSIBILITY FOR DAMAGE TO CROPS, VEGETATION, THE ENVIRONMENT OR HARM TO MAN OR ANIMAL OR FOR LACK OF PERFORMANCE OF THE ADJUVANT CONCERNED DUE TO FAILURE OF THE USER TO FOLLOW THE LABEL INSTRUCTIONS OR THE OCCURRENCE OF CONDITIONS WHICH COULD NOT HAVE BEEN FORESEEN IN TERMS OF THE REGISTRATION. CONSULT THE SUPPLIER IN THE EVENT OF ANY UNCERTAINTY.

PRECAUTIONS:

GHS Precautionary Statement

Wash thoroughly after handling.

Do not inhale fumes or spray mist.

Do not eat, drink or smoke whilst mixing or applying, or before washing hands and face and changing clothes.

IMIBOOST may be corrosive to metal parts of sprayers.

Prevent contamination of food, feedstuffs, drinking water and eating utensils.

Thoroughly wash and rinse spray equipment after use and dispose of wash water where it will not contaminate crops, grazing, rivers and dams.

Triple rinse the empty container: Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.

RELEVANT SUBSTANCES:

NOTE: All substances in the mixture fall below the GHS cut-off values/concentration limits for health and environmental hazards classes. There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section, and are therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021; Regulation 14(b), not listed.

FIRST AID:

In case of inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. In case of discomfort seek medical attention.

In case of skin contact: None required.

In case of eye contact: Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. Seek medical advice if symptoms persist.

In case of ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Seek medical attention.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

IMIBOOST is an aqueous solution that is suitable for all spray waters and spray equipment.

IMIBOOST complexes certain dissolved salts such as Calcium and Magnesium.

IMIBOOST improves the performance of the imidazolinone herbicides.

IMIBOOST is always tank mixed with the imidazolinone herbicides and applied as a post emergence application to weeds.

Use **IMIBOOST** at a rate of 2 % (volume / volume) of the spray mixture.

Ensure thorough coverage and wetting of the weeds, especially when crop foliage is dense.

The pH and hardness of the spray water may have a market effect on the performance of the glyphosate and sulphosate containing herbicides.

MIXING INSTRUCTIONS:

Fill the spray tank three-quarters with clean water. Measure the required volume of **IMIBOOST** and pre-mix this with at least 10 ℓ water before adding to the spray tank. The other product(s) to be mixed with **IMIBOOST** should be pre-mixed in a similar fashion. Agitate the water in the spray tank and then first add the **IMIBOOST** followed by the other product(s). Fill the spray tank with water to the required level while maintaining agitation to ensure thorough mixing of the spray mixture before spraying commences. Maintain agitation while spraying. The prepared spray mixture must not be left in the spray tank for any length of time, e.g. overnight.

All spray applications must be made with suitable equipment that is in good working order and correctly calibrated to give the desired coverage for that particular method of application.

RATE OF APPLICATION:

Mix 2 ℓ **IMIBOOST** per 100 ℓ water (2%)