

Sales Panel

LI 700®

Reg. No./Nr L6550, Act No./Wet Nr. 36 of/van 1947

Namibian Reg. No./Namibiese Reg. Nr. N-AR 1253

READ THE LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

CONTAINS AN ACIDIFIER AND A NON-IONIC ADJUVANT
BEVAT 'N VERSUURDER EN NIE-IONIESE BEVORDERINGSMIDDEL

An acidifier for increasing the efficiency of pH sensitive agricultural remedies and a wetter spreader for improving the wetting spreading and penetrating properties of spray mixtures.

'n Versuurder vir die verbeterde doeltreffendheid van pH gevoelige landboumiddels en 'n benatter-verspreider vir die verbetering van benattings-, verspreidings- en peneringseienskappe van spuit-mengsels.

ACTIVE INGREDIENT:

Phosphatidylcholine,
Methylacetic acid
Alkyl polyoxyethelene ether

AKTIEWE BESTANDDEEL:

Fosfaatdielkolien
Metielasynsuur
Alkiel poliooksi-etileeneter

800 g/l

Net volume



Netto Volume



DANGER

GHS Hazard Statements

Causes skin burns and severe eye damage.

May cause respiratory irritation.

GHS Precautionary Statements

Do not breathe mist, vapours or spray.

Wash thoroughly after handling.



REGISTRATION HOLDER / REGISTRASIEHOUER:

Nulandis® (A division of AECI Limited)/ Nulandis® ('n Afdeling van AECI Beperk)

Reg. No. / Nr. 1924/002590/06

P.O. Box / Posbus 14418

Witfield, 1467

Tel : (011) 823 8000

www.aeciph.com/ www.aeciworld.com

IN CASE OF POISONING PLEASE PHONE / IN GEVAL VAN VERGIFTIGING SKAKEL ;
0861 555777 / 082 446 8946

LI 700® is the registered trademark of / is die geregistreerde handelsmerk van LOVELAND PRODUCTS, INC., GREELEY, USA

Batch No:

Lotnommer:

DATE OF MANUFACTURE :

VERVAARDIGINGSDATUM:

UN No. / VN Nr. 1848 PROPIONIC ACID < 40% MIXTURE with not less than 10% and less than 90% acid by mass

LI 700®

Reg. No. L6550, Act No. 36 of 1947
Namibian Reg. No. N-AR 1253

READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

CONTAINS AN ACIDIFIER AND A NON-IONIC ADJUVANT

An acidifier for increasing the efficiency of pH sensitive agricultural remedies and a wetter spreader for improving the wetting spreading and penetrating properties of spray mixtures.

ACTIVE INGREDIENT:

Phosphatidylcholine,
Methylacetic acid
Alkyl polyoxyethelene ether

800 g/l



DANGER

REGISTRATION HOLDER:

Nulandis® (A division of AECI Limited)

Reg. No. 1924/002590/06

P.O. Box 14418

Witfield, 1467

Tel : (011) 823 8000

WARNINGS:

GHS Hazard Statements

Causes skin burns and severe eye damage.

May cause respiratory irritation.

Observe all warnings that are applicable to products with which **LI 700** will be used.
Keep out of reach of children, uninformed persons and animals.
Store away from food and feeds.

LI 700 is a non-ionic low foam surfactant.

LI 700 may be used as a surfactant to enhance the activity and effectiveness of agricultural remedies such as herbicides, plant growth regulators, insecticides, fungicides, foliar nutrients and acaricides. Application may be made by ground or aerial application. **LI 700** provides more uniform coverage by decreasing surface tension of spray solutions thus aiding in penetration. **LI 700** may be used as an acidifying agent to lower pH of spraying solutions thus preventing alkaline hydrolysis of remedies, sensitive to high pH.

LI 700 is an acidifier and may be physically or chemically incompatible with alkaline spray materials.

ALTHOUGH THIS ADJUVANT HAS BEEN EXTENSIVELY TESTED UNDER A LARGE VARIETY OF CONDITIONS THE REGISTRATION HOLDER DOES NOT WARRANT THAT IT WILL BE EFFICACIOUS UNDER ALL CONDITIONS BECAUSE THE ACTION AND EFFECT THEREOF MAY BE AFFECTED BY FACTORS SUCH AS ABNORMAL CLIMATIC AND STORAGE CONDITIONS; QUALITY OF DILUTION WATER, COMPATIBILITY WITH OTHER SUBSTANCES NOT INDICATED ON THE LABEL AS WELL AS BY THE METHOD, TIME AND ACCURACY OF APPLICATION. THE REGISTRATION HOLDER FURTHERMORE DOES NOT ACCEPT RESPONSIBILITY FOR DAMAGE TO CROPS, VEGETATION, THE ENVIRONMENT OR HARM TO MAN OR ANIMAL OR FOR LACK OF PERFORMANCE OF THE ADJUVANT CONCERNED DUE TO FAILURE OF THE USER TO FOLLOW THE LABEL INSTRUCTIONS OR THE OCCURRENCE OF CONDITIONS WHICH COULD NOT HAVE BEEN FORESEEN IN TERMS OF THE REGISTRATION. CONSULT THE SUPPLIER IN THE EVENT OF ANY UNCERTAINTY.

PRECAUTIONS:

GHS Precautionary Statements

Do not inhale mist, vapours or spray.

Wash thoroughly after handling.

Wear protective gloves, protective clothing, eye protection & face protection.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Call a POISON CENTRE or doctor/ physician if you feel unwell.

Avoid prolonged contact with concentrate.

For skin contact, remove contaminated clothing, wash with soap and water then get medical attention.

Prevent contamination of food, feed, drinking water and eating utensils.

Triple rinse the empty container: Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.

RELEVANT SUBSTANCES:

Substance name (IUPAC/EC)	Concentration % by weight	Classification
		EC1272/2008
Propionic acid	30-40%	Flammable liquid (Category 3) H226. Skin corrosion (Category 1B) H314. STOT SE (Category 3) H335.
Alcohol ethoxylate	1-10%	Acute toxicity oral (Category 4) H302. Serious eye damage (Category 1) H318.

NOTE: The other ingredients not included above, do not cause or contribute towards the correct GHS classification of **LI 700** and are therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021; Regulation 14(b), not listed.

FIRST AID:

In case of inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

In case of skin contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

In case of eye contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

In case of ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention.

NOTE TO PHYSICIAN:

Treat symptomatically.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

Mix **LI 700** thoroughly with water before adding agricultural remedies.

APPLICATION TABLE:

APPLICATION		Dosage Rate/100 ℓ
Acidifying Agent:	Water pH >8	60 - 120 mℓ
	Water pH 6,5 - 8	30 - 60 mℓ
General Use:	Herbicides	100 - 200 mℓ
	Insecticides, Fungicides, Acaricides, Plant Growth Regulators, Foliar Feeds	60 - 200 mℓ

