MULTIFEED® FLOWERGRO
3:1:6 (46)

Reg. No. K5311, Act No. 36 of 1947
Botswana: Reg. No. W130298, Act No. 18 of 1999
Namibian Reg. No. N-F 1415

WATER SOLUBLE FERTILIZER (46) FOR FOLIAR FEEDING AND FERTIGATION ON FLOWERING AND FRUITING PLANTS

FERTILIZER GROUP 1

MULTIFEED FLOWERGRO - Water Soluble Fertilizer (46) is a highly concentrated, completely water soluble fertilizer/foliar feed which is readily taken up by the plant and ideally suited for:

Foliar Feeding To supplement the efficacy of soil applied fertilizers.
Fertigation For application through drip or sprinkler irrigation systems.

MULTIFEED FLOWERGRO - Water Soluble Fertilizer (46) is recommended for use on established plants with higher potassium requirements, such as certain vegetable and field crops, and for nursery crops to achieve hardening and maintenance of vegetative growth.

COMPOSITION:

Nitrogen	(N)	157 g/kg
Phosphorus	(P)	46 g/kg
Potassium	(K)	262 g/kg
Sulphur	(S)	5.4 g/kg
Magnesium	(Mg)	3.0 g/kg
Zinc*	(Zn)	623 mg/kg
Boron	(B)	1004 mg/kg
Molybdenum	(Mo)	77 mg/kg
Iron*	(Fe)	767 mg/kg
Manganese*	(Mn)	205 mg/kg
Copper*	(Cu)	65 mg/kg

* EDTA Chelated

CONTENTS:
BATCH NO:

UN No: Not regulated

REGISTRATION HOLDER

AECI® Limited
Reg. No. 1924/002590/06
P.O. Box 14418
Witfield, 1467
Tel : (011) 823 8000
14 Field Road (Cnr Bird Street), Lilianton, 1459
Tel: (011) 823-8000
www.nulandis.com / www.aeciworld.com

MULTIFEED® FLOWERGRO is the registered trademark of AECI® Limited

RECOMMENDATIONS:

MULTIFEED FLOWERGRO – is a concentrated balanced water soluble fertilizer containing high potassium (K) specially designed for use in flower beds, pot plants, roses, shrubs and fruit trees.

MULTIFEED FLOWERGRO - is ideally suited for use during the flowering and fruiting stages when there is a high demand for potassium (K).

MULTIFEED FLOWERGRO – can be applied with other foliar spray fertilizers.

APPLICATION TABLE:

<table>
<tr><th>METHOD</th><th>RATE OF APPLICATION</th><th colspan="2">RECOMMENDATION</th></tr>
<tr><td>DRENCHING:
(Mixer nozzles, watering cans)</td><td>10 g (2 measuring spoons) in 10 ℓ water
(i.e. 100 g/100 ℓ)
Average content of watering can is 10 to 12 ℓ</td><td colspan="2">Drench the plant with the MULTIFEED FLOWERGRO solution. Ensure application is made only to moist soil.</td></tr>
<tr><td>FERTIGATION:
(All irrigation systems micro, drip, sprinkler)</td><td>DAILY:
250 – 500 g
/ 100 ℓ water
WEEKLY:
1 000 g/1 000 ℓ water</td><td colspan="2">Apply through irrigation daily or on a weekly basis. Calibrate fertilizer injector to deliver the required amount.</td></tr>
<tr><td rowspan="5">FOLIAR SPRAY:</td><td rowspan="5">MIXING RATIO:
20 g (4 measuring spoons) in 5 ℓ
(i.e. 40 g/10 ℓ)</td><td>TYPE</td><td>SOLUTION / 50 m²</td></tr>
<tr><td>FLOWERS</td><td>5 ℓ</td></tr>
<tr><td>ORNAMENTALS, SHRUBS</td><td>6 ℓ</td></tr>
<tr><td>TREES</td><td>7 ℓ</td></tr>
<tr><td colspan="2">Apply every 7 - 10 days. Do not spray in hot, dry conditions. Spray after good rain or irrigation on dry foliage.</td></tr>
<tr><td colspan="4">NOTES:
1. A foliar spray is recommended only for use as a supplementary source of nutrients to a basic fertilizer programme.
2. Do not mix with lime sulphur or Bordeaux mixture.</td></tr>
</table>

IMPORTANT: Before applying MULTIFEED FLOWERGRO consult a qualified Agronomist or your local AECI Plant Health Crop Adviser on the necessity of using it.

MULTIFEED® FLOWERGRO 3:1:6 (46)

Reg. Nr. K5311, Wet Nr.36 van 1947
Botswana: Reg. Nr. W130298, Wet Nr. 18 van 1999
Namibiese Reg. Nr. N-F 1415

VIR BLAARVOEDING EN WATERBEMESTING OP BLOM- EN VRUGDRAENDE PLANTE
WATEROPLOSBARE MISSTOF (46)

MISSTOF GROEP 1

SAMESTELLING:

Stikstof	(N)	157 g/kg
Fosfor	(P)	46 g/kg
Kalium	(K)	262 g/kg
Swael	(S)	5.4 g/kg
Magnesium	(Mg)	3.0 g/kg
Sink*	(Zn)	623 mg/kg
Boor	(B)	1004 mg/kg
Molibdeen	(Mo)	77 mg/kg
Yster*	(Fe)	767 mg/kg
Mangaan*	(Mn)	205 mg/kg
Koper*	(Cu)	65 mg/kg

*Gecheleerde EDTA

INHOUD:
LOTNOMMER:

VN Nr. Nie gereguleer nie

AECI® PLANT HEALTH

REGISTRASIEHOUER:

AECI® Beperk
Reg. Nr. 1924/002590/06
Posbus 14418
Witfield, 1467
Tel : (011) 823 8000
Fieldweg 14 (H/v Birdstraat), Lilianton, 1459
Tel: (011) 823-8000
www.nulandis.com/ www.aeciworld.com

MULTIFEED® FLOWERGRO is die geregistreerde handelsmerk van AECI® Beperk

AANBEVELINGS:

MULTIFEED FLOWERGRO- is 'n gekonsentreerde wateroplosbare kunsmis spesiaal ontwikkel met 'n hoë kalium (K) inhoud vir gebruik op blombeddings, potplante, rose, struike en vrugtebome.

MULTIFEED FLOWERGRO - is veral geskik vir gebruik tydens die blom- en vrugvormingsfase wanneer die plant 'n hoë kaliumbehoefte het.

MULTIFEED FLOWERGRO - is geskik vir toediening saam met ander blaarvoeding misstowwe.

TOEDIENINGSTABEL:

<table>
<tr><th>METODE</th><th>TOEDIENINGSHOEVEELHEID</th><th colspan="2">AANBEVELING</th></tr>
<tr><td>DEURDRENKING:
(Mengspuitstelsel, watergieters)</td><td>10 g (2 maatlepels) in 10 ℓ water (d.i. 100 g/100 ℓ)
Gemiddelde inhoud van gieter is 10 tot 12 ℓ</td><td colspan="2">Deurdrenk die plant met die MULTIFEED FLOWERGRO oplossing. Verseker dat toediening op nat grond plaasvind.</td></tr>
<tr><td>SPROEIBEMESTING:
(Alle besproeiingstelsels, mikro, drup, sprinkel)</td><td>DAAGLIKS: 250 – 500 g/ 100 ℓ water.
WEEKLIKS: 1 000 g/ 1 000 ℓ water</td><td colspan="2">Dien daagliks óf weekliks toe deur die besproeiingstelsel. Dit is noodsaaklik om die inspuitstelsel te kalibreer.</td></tr>
<tr><td rowspan="5">BLAARBESPUITING</td><td rowspan="5">MENGHOEVEELHEDE:
20 g (4 maatlepels) in 5 ℓ
(d.i. 40 g/10 ℓ)</td><td>TIPE</td><td>OPLOSSING / 50 m²</td></tr>
<tr><td>BLOMME</td><td>5 ℓ</td></tr>
<tr><td>SIERPLANTE, STRUIKE</td><td>6 ℓ</td></tr>
<tr><td>BOME</td><td>7 ℓ</td></tr>
<tr><td colspan="2">Dien elke 7 - 10 dae toe. Moenie gedurende droë warm toestande bespuit nie.
Bespuitings moet na reën of besproeiing op droë plantoppervlaktes toegedien word.</td></tr>
<tr><td colspan="4">NOTAS:
1. 'n Blaarvoeding moet slegs as 'n aanvullende bron van voeding tot die basiese kunsmisprogram beskou word.
2. Moenie in 'n mengsel met kalkswael of Bordeaux mengsel gebruik word nie.</td></tr>
</table>

BELANGRIK: RAADPLEEG 'N GEKWALIFISEERDE LANDBOUKUNDIGE OF U PLAASLIKE AECI PLANT HEALTH GEWASADVISEUR VOORDAT MULTIFEED FLOWERGRO TOEGEDIEN WORD, OOR DIE NOODSAAKLIKHEID VAN DIE GEBRUIK DAARVAN.