

Potatomix™

Reg. No. B6154, Act No. 36 of 1947

FERTILIZER GROUP 2

A macro and micro element soluble powder for use as indicated on the label. Apply **Potatomix** to correct nutrient deficiencies.

Composition:

Phosphorous (P)	30.3 g/kg
Potassium (K)	38.5 g/kg
Sulphur (S).....	24.5 g/kg
Magnesium (Mg)	18.3 g/kg
Iron (Fe)*.....	13.4 g/kg
Manganese (Mn)*.....	2.8 g/kg
Zinc (Zn)*.....	32.4 g/kg
Copper (Cu)*	6.8 g/kg
Boron (B)	48.0 g/kg
Molybdenum (Mo).....	4.88 g/kg

* EDTA chelated micro elements



DANGER

GHS HAZARD STATEMENTS

May damage fertility.
May damage unborn child.

GHS PRECAUTIONARY STATEMENTS

Keep out of reach of children
Do not breathe dust or mists



CONTENTS: 1 kg; 2 kg; 5 kg; 10 kg; 20 kg; 25 kg; 50 kg, 200 kg, 100 kg & 1 ton

Registration Holder:

AECI® Limited

Reg. No. 1924/002590/06

P.O. Box 14418

Witfield, 1467

Tel : (011) 823 8000

14 Field Road (Cnr Bird Street, Lilianton, 1459) Tel: (011) 823-8000

www.aeciworld.com / www.aeciph.com

Potatomix™ is a pending trademark of AECI® Limited

Batch No:

UN No: **Not regulated**

WARNINGS:**GHS HAZARD STATEMENTS**

May damage fertility.
May damage unborn child.

May be harmful when swallowed.

PRECAUTIONS:**GHS PRECAUTIONARY STATEMENTS**

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read carefully and follow all instructions.
Obtain special instruction before use
Do not breathe dust or mists.
Avoid contact during pregnancy.
Wash hands thoroughly after handling.
Do not eat, drink or smoke when using this product.
IF exposed or concerned: Get medical advice/ attention.
Collect spillage.

RELEVANT SUBSTANCES:

Substance name (IUPAC/EC)	Concentration % By weight	Classification
		EC1272/2008
Boric acid	20-30%	Reproductive toxicity (Category 1B) H360FD.
Cu Chelate 15 %	1-5%	Skin irritation (Category 2) H315. Eye irritation (Category 2A) H319

NOTE: The other ingredients not included above, do not cause or contribute towards the correct GHS classification of **Potatomix** and are therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021; Regulation 14(b), not listed.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

Potatomix is a macro and micro soluble powder for use as indicated under the "Application Table".

COMPATIBILITY:

It is recommended to do a compatibility test on a small area and observe the treated area for 3 days before doing commercial applications.

Its compatibility with other products may be influenced by several factors. As certain factors may vary from farm to farm, a physical compatibility test must always be performed before such a tank mixture is sprayed. For more information on compatibility or in the event of uncertainty, contact your local AECI Agri Health Crop Adviser.

APPLICATION TABLE

CROP	APPLICATION RATE AS INDICATED	RECOMMENDATIONS
POTATOES	5.0 kg / 30 ℓ water	Apply at planting in the furrow.
VEGETABLES	3.0 kg / hectare	<u>FOLIAR APPLICATION</u> Apply in a sufficient amount of water according to the crop requirement.