

RAPPID

Ammonium Polyphosphate

Nitrogen (N) 97 g/kg
Phosphorus (P) 150 g/kg

SG 1,37 @20° C

FERTILIZER GROUP 1

Volume
1000 ℓ
200 ℓ
25 ℓ

Batch no -----
Date of Manufacture:



Registration Holder:
Nulandis® (A division of AECI Limited)
Co Reg no 1924/002590/06
14 Field Road (Cnr Bird Street), Lilianton 1459
PO Box, 14418 Witfield, Gauteng, 1467
Tel: (011) 823-8000
www.nulandis.com

UN No. Not regulated

MIXING INSTRUCTIONS:

1. Half fill tank to the required volume of water
2. Add the required amount of RAPPID
3. Add appropriate amount of wetting agent as per manufacturer's instruction
4. Fill the remainder of tank with water and maintain agitation

Product pH: 6.00 – 6.40

Specific Gravity at 20°C: 1.34 – 1.39

Ortho : Polyphosphate ratio = 10:90

APPLICATION GUIDE:

CROP		RATE ℓ/ha	DILUTION	COMMENTS
WHEAT	Irrigation	10-30	1:3	Apply at plant in P-retentive soils
WHEAT	Foliar	5-15	1:10-20	Apply as foliar at tillering
MAIZE		5-15	1:10-20	Apply 4-6 leaf stage to flowering
PASTURES		10-15	1:10-20	Apply at spring and autumn flush
LEGUMES		5-15	1:10-20	Apply at 3-4 weeks after emergence
SUGARCANE	Planting	15	min 100 ℓ/ha	Apply with liquid fungicide at planting
SUGARCANE	Ratoon	10-15	min 100 ℓ/ha	Apply at foliar application stage
CITRUS, AVOCADOS, OLIVES		10-15	1:200	Apply during flush
BEANS, BRASSICA, STRAWBERRIES		5-7	1:100	Apply at 4-6 leaf stage
CARROTS, POTATOES, TOMATOES, CUCURBITS		5-7	1:100	Apply at seedling and vegetative stages
WINE AND TABLE GRAPES		5-10	1:200	From bud burst to flowering

*Rates depend on soil type, soil pH and extent of phosphate lock up in the soil