

Main Panel

SWELLPINE®

Reg. No./Nr. L2717, Act No./Wet Nr. 36 of/van 1947

READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

A plant growth regulator to increase fruit mass, delay ripening and reduce crown growth of pineapples.

'n Plantgroeireguleerder om vrugmassa te verhoog, rypwording te vertraag en kroongroei van pynappels te verminder.

Active ingredient:

Aktiewe bestanddeel:

Cloprop.....80 g/l.....Kloprop

Netto Volume



Net Volume



WARNING

GHS Hazard Statements

Causes skin irritation.

Causes serious eye irritation.

GHS Precautionary Statements

Wash thoroughly after handling.

Wear protective gloves, protective clothing, eye protection & face protection.



REGISTRATION HOLDER / REGISTRASIEHOUER:

Nulandis® (A division of AECI Limited)/ Nulandis® ('n Afdeling van AECI Beperk)

Reg. No. / Nr. 1924/002590/06

P.O. Box / Posbus 14418

Witfield, 1467

Tel : (011) 823 8000

www.aeciph.com / www.aeciworld.com

IN CASE OF POISONING PLEASE PHONE / IN GEVAL VAN VERGIFTIGING SKAKEL ;
0861 555777 / 082 446 8946

SWELLPINE® is a registered trademark of AECI® Limited 'n geregistreerde handelsmerk van AECI® Beperk

Batch No:

Lotnommer:

DATE OF MANUFACTURE:

VERVAARDIGINGSDATUM:

UN No. / VN Nr. Not regulated / nie gereguleer nie

Swellpine : GHS August 2022 – Approved 2023

Pamphlet

SWELLPINE®

Reg. No. L2717, Act No. 36 of 1947

**READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

A plant growth regulator to increase fruit mass, delay ripening and reduce crown growth of pineapples.

Active ingredient:

Cloprop.....80 g/l



WARNING

REGISTRATION HOLDER / REGISTRASIEHOUER

Nulandis® (A division of AECI Limited)

Reg. No. 1924/002590/06

P.O. Box 14418

Witfield, 1467

Tel: (011) 823 8000

WARNINGS:

GHS Hazard Statements

Causes skin irritation.

Causes serious eye irritation..

Harmful when swallowed.

May cause damage to other crops.

Store under lock and key in a cool, dry place away from food and feed.

Keep out of reach of children, uninformed persons and animals.

Re-entry: Do not enter treated area until spray deposit has dried unless wearing protective clothing. In case of poisoning – CALL A DOCTOR AND MAKE THIS LABEL AVAILABLE TO HIM/HER.

ALTHOUGH THIS REMEDY HAS BEEN EXTENSIVELY TESTED UNDER A LARGE VARIETY OF CONDITIONS, THE REGISTRATION HOLDER DOES NOT WARRANT THAT IT WILL BE EFFICACIOUS UNDER ALL CONDITIONS BECAUSE THE ACTION AND EFFECT THEREOF MAY BE AFFECTED BY FACTORS SUCH AS ABNORMAL CLIMATIC AND STORAGE CONDITIONS, QUALITY OF DILUTION WATER, COMPATIBILITY WITH OTHER SUBSTANCES NOT INDICATED ON THE LABEL AS WELL AS BY THE METHOD, TIME AND ACCURACY OF APPLICATION. THE REGISTRATION HOLDER FURTHERMORE DOES NOT ACCEPT RESPONSIBILITY FOR DAMAGE TO CROPS, VEGETATION, THE ENVIRONMENT OR HARM TO MAN OR ANIMAL OR FOR LACK OF PERFORMANCE OF THE REMEDY CONCERNED DUE TO FAILURE OF THE USER TO FOLLOW THE LABEL INSTRUCTIONS OR TO THE OCCURRENCE OF CONDITIONS WHICH COULD NOT HAVE BEEN FORESEEN IN TERMS OF THE REGISTRATION. CONSULT THE SUPPLIER IN THE EVENT OF ANY UNCERTAINTY.

PRECAUTIONS:

GHS Precautionary Statements

Wash thoroughly after handling.

Wear protective gloves, protective clothing, eye protection & face protection.

IF ON SKIN: wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/ attention.

If eye irritation persists: Get medical advice/ attention.

Do not inhale spray mist.

Do not eat, drink or smoke whilst mixing or applying the product or before washing hands and face and changing clothes

Avoid spray drift to nearby crops as it may cause growth modifications.

Prevent contamination of food and feed, drinking water and eating utensils.

Prevent spray drift onto other crops, grazing, rivers, dams or areas not under treatment.

Clean applicator thoroughly after use and dispose of wash water where it will not contaminate crops, grazing, rivers or dams.

Triple rinse the empty container: Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.

RELEVANT SUBSTANCES:

Substance name (IUPAC/EC)	Concentration % by weight	Classification
		EC1272/2008
Cloprop	1-10%	Acute toxicity oral (Category 4) H302. Skin irritation (Category 2) H315. Eye irritation (Category 2) H319. STOT SE 3 H335.
C9-C11 Alcohol ethoxylate with 6 moles of ethylene oxide (EO)	1-3%	Acute toxicity oral (Category 4) H302. Serious eye damage (Category 1) H318

NOTE: The other ingredients not included above, do not cause or contribute towards the correct GHS classification of **SWELLPINE** and are therefore, in terms of the South African Regulations for Hazardous Chemical Agents - 2021; Regulation 14(b), not listed.

FIRST AID:

In case of inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms occur.

In case of skin contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation persists.

In case of eye contact: Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention if irritation persists.

In case of ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if you feel unwell.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

APPLICATION TABLE:

CROP AND USE	DOSAGE PER HECTARE	REMARKS
PINEAPPLES: For improving the shape and size of smooth Cayenne and Queen cultivars	4 ℓ product in 1 000 to 2 000 ℓ water	Apply as a full cover spray 2-3 months prior to anticipated natural harvest. NOTE: With the application of SWELLPINE ripening of fruit may be delayed for up to 4 weeks after natural harvest.

